

**GOVERNMENT OF ANDHRA PRADESH**  
**ABSTRACT**

Public Services - Irrigation & CAD Department – Irregularities of works taken up under FFWP in TBP LLC Division, Adoni, Kurnool Dist. By I&CAD Department – Disciplinary proceedings initiated against Engineers - WSSDs submitted – Enquiry conducted - Further action dropped - orders - Issued.

---

**IRRIGATION & C.A.D. (Ser.VII.(V&E)A.1) DEPARTMENT**

**G.O.Rt.No. 1528**

**Dated: 23-12-2010**  
**Read the following:**

- Ref: 1. Director General (Vig. & Enft.) & E.O. Prl. Secy. to Govt.,  
G.A.D. Report No.112(21/V&E./E.1/2003), Dt. 30.09.2003.  
2. G.O.Rt.Nos.26 - 33I&CAD(Ser.VII(V&E-1)Dept,Dt.  
05-01-2006  
3. G.O.Rt.No.70 I&CAD(Ser.VII(V&E-1)Dept, Dt. 06-01-2006.  
4. G.O.Rt.No.304 I&CAD(Ser.VII(V&E-1)Dept, Dt. 17-02-2006.  
5. WSSDs of all charged officers.  
6. G.O.Rt.No.7 I&CAD(Ser.VII(V&E-1)Dept, Dt. 30-07-2007.  
7. From Dr. Prasanta Mahapatra, I.A.S., GA(COI-PM) D.o.Lr.  
No. 29/COI-PM/A2/2007-03, Dt. 04-8-2008.  
8. G.O.Rt.No.1114 I&CAD(Ser.VII(V&E-1)Dept, Dt.  
22-08-2008.  
9. From Sri K. Jalandhar ,Supdt. Engineer & I.A. Report Dt.  
12-03-2009.  
10. G.A.(V&E) U.O.Note NO 21/V&E/E1/2003, Dt. 28-04-2010.

\*\*\*

**ORDER:**

In the reference 1<sup>st</sup> read above, it was brought to the notice of Government that certain irregularities took place in the works taken up under FFWP in TBP LLC Division, Adoni, Kurnool Dist. and recommended for initiation of suitable departmental action against the individuals responsible for such irregularities.

2. After examination of the matter, it was decided to initiate departmental action against all the individuals responsible for the irregularities took place in works taken up under FFWP in TBP LLC Division, Adoni, Kurnool Dist. by I&CAD Department. Accordingly, in the references 2<sup>nd</sup>, 3<sup>rd</sup> and 4<sup>th</sup> read above, articles of charge were framed against the following engineers under Rule 20 of A.P.C S, (CC&A) Rules, 1991 with a direction to submit their WSSDs.

1. Sri S. Narayana Naik, AEE
2. Sri V. Subramanyam Chetty, AE
3. Sri M. Sivappa, AEE
4. Sri M. Raghava Reddy, EE(Retd.)
5. Sri K. Y. Gyurappa, AEE/DEE Adoni
6. Sri A. Subba Rao, AE
7. Sri P.V. Chinnappa, AE
8. Sri B. Jayaraju, AEE

3. In the reference 5<sup>th</sup> read above, all the charged officers had submitted their WSSDs denying the charges framed against them. After examining the WSSDs of

the charged officers, it was considered to place the matter before the Commissionerate of Inquires to inquire into the charges framed against all the charged officers and in the reference 6<sup>th</sup> read above, Dr. Prasanta Mahapatra, I.A.S. Commissioner of Inquiries, General Administrative Department was appointed as Inquiring Authority to conduct enquiry into the charges.

4. In the reference 7<sup>th</sup> read above, Dr. Prasanta Mahapatra, I.A.S. GA(COI-PM) returned the case to the Department without conducting enquiry, stating that this is a case dealing with a large number of Junior Engineers such as Asst. Executive Engineers and Dy. Executive Engineers of Irrigation Dept. and the charges against them are either (a) avoidance of Vigilance inspection or (b) irregularities in execution of Food for work with small estimates of less than one lakh rupees.

5. After careful examination of the entire issue, it was decided to conduct enquiry into the charges of the charged officers by entrusting the case to a Superintendent Engineer. Accordingly in the reference 8<sup>th</sup> read above, Sri K. Jalandhar, Superintending Engineer, SRBC Circle, Nandyal was appointed as Enquiry officer to conduct enquiry into the charges framed against the said officers.

6. In the reference 9<sup>th</sup> read above, the Enquiry Officer furnished the enquiry report. In his findings, the Enquiry officer held the charges framed against all the charged officers are not proved

7. After examination of the enquiry report, it was decided to obtain the remarks of the General Admn.(V&E) Department on the findings of the Enquiry Officer before taking further action in the matter. In the reference 10<sup>th</sup> read above, the General Administration (V&E) Department had furnished their remarks on the findings of the enquiry officer.

8. After examining the enquiry report with reference to the remarks of the General Administration (V&E) Department, it is decided to drop further action against all the charged officers in respect of the case relating to irregularities in the works taken up under FFWP in TBP LLC Division, Adoni, Kurnool Dist. Accordingly further action is hereby dropped against Sri S. Narayan Naik the then AEE now I/C EE and (7) others shown at para (2) above .

9. The I&CAD(Ser.I/II) Department/the Engineer-in-Chief (AW) , I&CAD Department, Hyderabad shall take necessary further action accordingly.

**(BY ORDER AND IN THE NAME OF THE GOVERNOR ANDHRA PRADESH)**

**SHAILENDRA KUMAR JOSHI  
PRINCIPAL SECRETARY TO GOVERNMENT**

To

The individuals **(through)** Engineer-in-Chief(AW),  
I&CAD Department, Hyderabad.

The Engineer-in-Chief(AW) , I&CAD Department, Hyderabad.

I&CAD (Ser.I/Ser.II) Department

Copy to:

The Accountant General, A.P., Hyderabad.

The General Administrative (V&E) Department.

The Secretary to VC, A.PVC, Hyderabad.

SF/SC

**//FORWARDED : BY ORDER//**

**SECTION OFFICER**